

Table of Contents

JOOBY AQUARIS RMS

Jooby Development

JOOBY AQUARIS RMS 203 Radio module with sensor for Novator water meters.

Installation. Activation

Determining the current state

Activation / Deactivation

Installation (Video)

3

3

3

4

4

4

JOOBY AQUARIS RMS

Jooby Development

- [Message documentation](#)
- [Message encoders/decoders](#)
- [Message encoders/decoders GUI \(Demo\)](#)
- [API for interacting with Jooby devices. Other documentation](#)

JOOBY AQUARIS RMS 203 Radio module with sensor for Novator water meters. Installation. Activation



The red circle indicates the area where the magnet should be placed.

Determining the current state

1. Hold a magnet for 1 second
 1. One short blink: the radio module is deactivated
 2. Four short blinks: the radio module is activated

Activation / Deactivation

1. Bring and hold the magnet for 4-5 seconds
2. Remove the magnet immediately after a short blink
3. Wait for radio module response
 1. Four short blinks: the radio module is activated, activation completed
 2. One long and three short blinks: radio module is deactivated and it is necessary to activate it

Installation (Video)

Installation

From:
<https://wiki.jooby.eu/> -

Permanent link:
https://wiki.jooby.eu/en/rdc/rms_for_novator

Last update: **2023/07/11 15:42**